

Collections: Connect

Designed By: Botton + Gardiner

Applications: Outdoor, Indoor





























Modern, modular, oblong interlock bench seating in a medium low size with Blackbutt hardwood battens and a steel frame in powder-coat colours.

Description

Connect oblong interlock medium low modular bench seating is versatile, durable, and sustainable, making it suitable for a wide range of outdoor or indoor spaces. This isn't a stand-alone seating module. It connects with the Connect circle large tall bench to create a tiered seating design. These can be grouped with the range of 18 seating modules, consisting of geometric shapes, and interlocking elements that can transform any public space into a social hub.

Choose from circular or oblong seating designs with integrated urban planters and tiered heights to create simple to complex configurations. Designed in-house and made locally, Connect features certified Blackbutt hardwood battens with bullnose edging and a steel frame in VOC-free powder-coat colours that can be customised to suit your project.

How to Specify

Select your batten finish Select your frame finish

Sustainability

Certified Hardwood

Blackbutt is locally sourced and certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit Volatile Organic Compounds (VOCs) and has Environmental Product Declarations (EPDs).

Powder Coat

Core

Solid

Textured

Signature

Bold

Dimensions

2160mmW x 1155mmD x 450mmH

Hardwood battens: 140mmW x 42mm thickness

Spacing: 5mm gap between battens

Batten Type

Class 1 + Select Grade Hardwood: Blackbutt with bullnose edging

Frame	Powder-coated, pre-galvanised steel
Made In	Australia
Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Fixed by others. Fix direct to a concrete slab or through pavers and into a concrete slab.
Care Instructions	Hardwood Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.
	Oiling Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.
	To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.
	Powder-Coat Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.
	Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.
	Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.
	Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.
Warranty	5-year warranty. View the <u>warranty</u> for more details.
Additional Comments	Hardwood is treated with a UV-resistant oil finish. Integrated lighting and power on request.



Colour & Finish Options

B+G Hardwood AU












B+G Powder Coat - Core AU










Satin





White - Satin Monument Texture

B+G Powder Coat - Bold AU











B+G Powder Coat - Signature AU





Wedgewood - Satin

B+G Powder Coat - Solid AU



B+G Powder Coat - Textured AU

