

Collections: Avenue

Designed By: Botton + Gardiner


Applications: Indoor, Outdoor

Seating » Seats









Seating » Seats

Minimalist back-to-back seating style. Battens in hardwood, Duraslat™ XG, aluminium. Tapered steel frame in powder-coat or galvanised finishes.

### Description

Rectangular battens and a tapered steel frame combine to deliver a minimalist seating design that takes its cues from 20th century industrial design. The functional feel and light appearance of the Avenue back-to-back seat complements and sits within most public spaces. Finishes include hardwood, Duraslat™ XG and aluminium batten colours and powder-coat finishes or a galvanised finish.

### How to Specify

Select your length Select your batten finish Select your frame finish Select your fixing type

### Sustainability

Certified Hardwood

All hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Duraslat™ XG is made from 90% of recycled hardwood fibres and reclaimed plastic materials, which reduces demand for virgin materials.

Low Pollutants

Our powder-coating process doesn't emit Volatile Organic Compounds (VOCs) and has Environmental Product Declarations (EPDs).

### Powder Coat

Core

White (satin), Black (satin), Charcoal (satin), Palladium Silver (satin), Matt Black (matt), Pearl White (gloss)

Solid

Coffee (satin), Cove (satin), Monument (matt), Medium Bronze Kinetic (flat)

Textured

Core Ten (textured metallic), Asteroid (textured metallic), Bass (textured metallic), Textura Black (textured), Textura Monument (textured), Textura White (textured)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red (matt), Claypot (satin), Paperbark (satin)

Bold

Bondi Blue (gloss), Leaf (satin), Sensation (gloss), Lobster (satin), Moonlight (satin)

Seating » Seats

Dimensions Hardwood

1800mmW x 1010mmD x 820mmH

Duraslat™ XG

1600mmW x 1010mmD x 820mmH

Aluminium | Alugrain

2000mmW x 1010mmD x 820mmH

Seat height: 450mm

Batten Type Hardwood

Duraslat™ XG

Aluminium | Alugrain

Frame Powder-coated steel or hot-dip galvanised steel.

Optional 316 stainless steel in matt textured frame finish available on

request.

Made In Australia

Lead Time 4-6 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Surface or sub-surface fixed by others. Anchors not included. Shims

available for sub-surface fixing on request.

Seating » Seats

### Care Instructions

### Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

#### Oilina

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

### Duraslat™ XG

Cleaning

Simply wash down occasionally. Do not use high pressure cleaners.

### Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

#### Hot-Dip Galvanised Steel

For general cleaning of bulk contaminants such as dirt and the like, ordinary laundry soaps can be satisfactorily used.

For more stubborn or larger areas, the use of a low-pressure wash (eg. a gurney gun) with just pure water or in conjunction with proprietary cleaning materials, such as car wash or truck wash, can be effective. It is important that the steel be washed down with fresh water after cleaning.

The cleaning treatment of the galvanising should be conservative at first and then if the situation demands, the treatment can become steadily more aggressive. Also, wherever some form of mechanical abrasion or "scrubbing" is required, the use of a hard, plastic bristle brush is recommended. Steel bristle brushes are not to be used since they will cause discolouration.

Mechanical methods of cleaning zinc surfaces can cause aesthetic issues. The "cleaned" areas are likely to contrast with adjacent untreated surfaces and may take a significant period of time to weather to a uniform colour. If aesthetics is a large concern, it is advisable to first test the cleaning method in an inconspicuous area in case the aesthetic effect is unappealing.

Seating » Seats

Warranty	5-year warranty. View the <u>warranty</u> for more details.
Customisable	As this item is made to order locally, custom lengths are available on request.
Additional Comments	Hardwood is treated with a UV-resistant oil finish.  As this item is made to order locally, custom lengths or armrests are available on request.

Seating » Seats

# Colour & Finish Options

## B+G Spotted Gum AU



Spotted Gum

### B+G Mixed Reds AU



Mixed Reds

## Alugrain



Driftwood



Spotted Gum

### B+G Duraslat XG AU



Alcove



Boulder



Cave



Ravine

B+G Powder Coat - Bold AU

Seating » Seats



## B+G Powder Coat - Signature AU



B+G Powder Coat - Solid AU

Wedgewood - Satin

### Seating » Seats



### B+G Powder Coat - Textured AU

