Seating » Benches



Collections: Prospect

Designed By: Botton + Gardiner

Applications: Outdoor

Seating » Benches









Seating » Benches

Robust truss bench design. Battens in hardwood and Duraslat™ XG colours and an asymmetrical steel frame in powder-coat or galvanised finishes.

Description

Featuring striking asymmetrical forms and robust materials that are based on our competition-winning designs for the Western Sydney Parklands Trust, the Prospect truss bench is ideal for parkland and urban environments. The functional and light appearance of the truss bench features an asymmetrical steel frame that grounds the design. Finishes include hardwood and Duraslat™ XG batten colours and powder-coat finishes or a galvanised finish to suit many outdoor spaces.

How to Specify

Select your batten finish Select your frame finish

Sustainability

Certified Hardwood

All hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Duraslat™ XG is made from 90% of recycled hardwood fibres and reclaimed plastic materials, which reduces demand for virgin materials.

Low Pollutants

Our powder-coating process doesn't emit Volatile Organic Compounds (VOCs) and has Environmental Product Declarations (EPDs).

Powder Coat

Core

Solid

Textured
Signature

Bold

Dimensions

Hardwood

1600mmW x 290mmD x 450mmH

Duraslat™ XG

1600mmW x 290mmD x 450mmH

Batten Type

Hardwood

Duraslat™ XG

Seating » Benches

Frame	Hot-dip galvanised or powder-coated steel
Made In	Australia
Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Surface or sub-surface fixed by others. Anchors not included.
Care Instructions	Hardwood Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth. Oiling
	Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.
	To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.
	<u>Duraslat™ XG</u> Cleaning Simply wash down occasionally. Do not use high pressure cleaners.
	Powder-Coat Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.
	Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.
	Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.
	Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.
Warranty	5-year warranty. View the <u>warranty</u> for more details.



Seating » Benches

Colour & Finish Options

B+G Mixed Reds AU



Mixed Reds

B+G Spotted Gum AU



Spotted Gum

B+G Duraslat XG AU




B+G Powder Coat - Bold AU



B+G Powder Coat - Core AU

Seating » Benches



B+G Powder Coat - Signature AU



B+G Powder Coat - Solid AU



Seating » Benches

B+G Powder Coat - Textured AU

